

AMENDED
APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... FEB 18 1971
Returned to applicant for correction..... MAR 8 1971
Corrected application filed.....
Map filed..... MAR 15 1971 under 25971

The applicant North Park Incorporated 100 N. Arlington, Suite 272
of Reno, County of,
State of Nevada 89503, hereby make application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.) Incorporated February 16, 71
Secretary of State of the State of Nevada

1. The source of the proposed appropriation is Underground
Name of stream, lake or other source.
2. The amount of water applied for is 01 second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet acre-feet
3. The water to be used for Quasi-municipal
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated)
 - (b) Stockwater (state number and kinds of animals to be watered)
 - (c) Other use (describe fully under "No. 11. Remarks") See No. 12, remarks
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point: SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 15, T20N, R19E,
M.D.B. & M., or at a point from which the NE corner of said Section
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
15 bears N 68° 42' 22" E a distance of 4460.74 feet.
it should be stated.
6. Place of use NW $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$ and SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 15, T.20N., R19E, M.D.B.
Describe by legal subdivision, if on unsurveyed land it should be so stated.
& M.
7. Use will begin about Jan. 1 and end about Dec. 31, of each year.
Month Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans
and specifications of your diversion or storage works.) Division is proposed from an
underground source as indicated, through a pipe network, and
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
stored in a pressure tank.

9. Estimated cost of works.....\$3500.00
10. Estimated time required to construct works.....30 days
11. Estimated time required to complete the application to beneficial use.....3 years
12. Remarks.....For use in domestic water system to serve approximately 280 mobile home units. This well would provide only a portion of total water requirements.

Applicant.....North Park Incorporated.....

Compared.....md/ sb

Bys/ Harlan G. Hiles
Harlan Hiles, Secretary
100 N. Arlington Ave., Suite 272
Reno, Nevada 89503

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined diversion between this permit and Permit 25971 shall not exceed 30.6 m.g. annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second not to exceed 30.6 m.g. annually

Actual construction work shall begin on or before.....February 10, 1972

Proof of commencement of work shall be filed before.....March 10, 1972

Work must be prosecuted with reasonable diligence and be completed on or before.....February 10, 1973

Proof of completion of work shall be filed before.....March 10, 1973

Application of water to beneficial use shall be made on or before.....February 10, 1976

Proof of the application of water to beneficial use shall be filed on or before.....March 10, 1976

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....MAR 24 1972

Completion of work filed.....APR 18 1973

Proof of beneficial use filed.....APR 15 1976

Cultural map filed.....

Certificate No.....Issued.....

Recorded.....Bk.....Page.....

County Recorder

IN TESTIMONY WHEREOF, I, Roland D. Westergard
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 10th day of August

A.D. 19 71

[Signature]
State Engineer